

# APPROVAL OF MANUFACTURER CERTIFICATE

Certificate No:  
**AMMM00000D3**  
Revision No:  
**6**

This is to certify:

That

**Deutsche Edelstahlwerke Witten/Krefeld GmbH & Co. KG**  
**Oberschlesienstrasse 16, 47807 Krefeld,**  
**Germany**

is an approved manufacturer of  
**Steel Forgings**

in accordance with

**DNV rules for classification – Ships**  
**DNV rules for classification – Naval vessels**  
**DNV class programme – DNV-CP-0247 Steel forgings**

and the following particulars:

<b>Product</b>	<b>Open die forgings (incl. forged bars)</b>
<b>Application area</b>	<b>Forgings for hull structures and equipment</b> <b>Forgings for shafting and machinery</b> <b>Forgings for crankshafts</b> <b>Forgings for gearing</b> <b>Stainless steel forgings</b>
<b>Steel type</b>	<b>Carbon and carbon-manganese,</b> <b>Alloy,</b> <b>Austenitic stainless,</b> <b>Martensitic stainless,</b> <b>Ferritic stainless,</b> <b>Austenitic-ferritic (Duplex) stainless</b>
<b>Forging method</b>	<b>Open die forging</b>
<b>Max. weight</b>	<b>See particulars of the approval</b>
<b>Max. diameter / thickness</b>	<b>See particulars of the approval</b>
<b>Heat treatment condition</b>	<b>See particulars of the approval</b>
<b>Additional approval conditions</b>	<b>See particulars of the approval</b>

Manufacturer(s) approved by this certificate is/are accepted to deliver according to DNV GL, DNV and GL rules.  
Materials to be applied to DNV classed object shall fulfill the material requirements in the applicable DNV class rules.

Issued at **Hamburg** on **2025-03-06**

This Certificate is valid until **2026-06-19**.

DNV local unit: **Essen**

Approval Engineer: **Christian Wildhagen**



for **DNV**

This document has been digitally signed and will  
therefore not have handwritten signature

Stefan Röhr

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to 300,000 USD.

## Particulars of the approval

### Forgings for hull structures and equipment

Steel type	Grade <sup>2)</sup>	Max. thickness [mm]	Max. Weight [kg]	Heat treatment Condition <sup>1)</sup>
C and C-Mn	NV F400UW, NV F440UW, NV F480UW, NV F520UW, NV F560UW, NV F600UW	1 100	30 000	N, NT, QT
Alloy	NV F550AW, NV F600AW, NV F650AW	1 100	30 000	QT

### Forgings for shafting and machinery

Steel type	Grade <sup>2)</sup>	Max. thickness [mm]	Max. Weight [kg]	Heat treatment Condition <sup>1)</sup>
C and C-Mn	NV F400U, NV F440U, NV F480U, NV F520U, NV F560U, NV F600U, NV F640U, NV F680U, NV F720U, NV F760U	1 100	30 000	N, NT, QT
Alloy	NV F600A, NV F700A, NV F800A, NV F900A, NV F1000A, NV F1100A	1 100	30 000	QT

### Forgings of liquid quenched and tempered structural steels (bars)

Steel type	Grade <sup>2)</sup>	Max. Diameter [mm]	Max. length [m]	Max. Weight [kg/m]	Heat treatment condition <sup>1)</sup>
C and C-Mn	NV-M550S, NV-M700S	200	11 000	1 500	QT
	15NiCrMo10-6 acc. WL 1.6780-2 16NiCrMo12-6 acc. WL 1.6782-2	200	11 000	1 500	QT
	HY-80 acc. MIL-S-21952D HY-100 acc. MIL-S-21952D	200	11 000	1 500	QT

### Forgings of non-magnetizable steels (bars)

Steel type	Grade <sup>2)</sup>	Max. Diameter [mm]	Max. length [m]	Max. Weight [kg/m]	Heat treatment condition <sup>1)</sup>
Non-magnetizable	1.3964.9 acc. WL 19364-2	160	11 000	1 500	SHT
	1.3964 acc. SEW 390	250	11 000	1 500	SHT

# Steels acc. other standards

Steel type	Grade <sup>2)</sup>	Max. thickness [mm]	Max. Weight [kg]	Heat treatment Condition <sup>1)</sup>
C and C-Mn	acc. EN 10083-2	1 100	30 000	N, NT, QT
	acc. EN 10250-2			
	acc. ISO 683-1			
	acc. ISO 683-3			
Alloy	acc. EN 10083-3	1 100	30 000	QT
	acc. EN 10250-3			
	acc. ISO 683-2			
	acc. ISO 683-3			
	18CrNiMo7-6 acc. ISO 683-3 <sup>3)4)5)</sup>			
Austenitic stainless	acc. EN 10088-3	1 100	30 000	SHT
	acc. EN 10222-5			
Duplex	acc. EN 10088-3	1 100	30 000	SHT
	acc. EN 10222-5			
Ferritic	acc. EN 10088-3	1 100	30 000	A
Martensitic	acc. EN 10088-3	1 100	30 000	QT
	acc. EN 10222-5			

## Remarks:

- <sup>1)</sup> QT: Quenched and tempered  
N: Normalized  
NT: Normalized and tempered  
SHT: Solution Heat Treated (Solution Annealing)  
A: Annealed
- <sup>2)</sup> Incl. equivalent grades in acc. to other standards
- <sup>3)</sup> Clean steel forgings of grade 18CrNiMo7-6 acc. to ISO 683-3 are qualified for approved applications (see pt. 2 and 3). Special requirements for clean steel forgings are given in DNV Rules Pt. 2, Ch. 2, Sec.6, [1.6.10].
- <sup>4)</sup> Subject to special approval, blanks cut from forged bars of clean steel forgings with max. Ø575 mm are approved for further processing to gears acc. to DNV Class Guideline No. DNV-CG-0036, and classed to "high grade".
- <sup>5)</sup> Subject to special approval, forged bars of clean steel forgings are approved for further processing to crankshafts acc. to DNV Class Guideline No. DNV-CG-0037, and classed to "super clean forged steel".